

2010 Birmingham DH Assay Composites - January 24, 2011

Hole #	From meters	To meters	Length meters	Ag g/tonne	Ag oz/ton	Au g/tonne	Au oz/ton	Pb %	Zn %
K-10-0287	158.16	162.14	3.98	53.2	1.6	0.098	0.003	0.28	0.73
K-10-0287	172.78	173.08	0.30	39.5	1.2	0.005	0.000	0.01	0.48
K-10-0290	183.51	186.70	3.19	91.1	2.7	0.105	0.003	0.54	2.76
K-10-0290	213.56	221.59	8.03	541.7	15.8	0.102	0.003	1.63	0.93
includes	213.56	214.23	0.67	5989.4	174.7	0.676	0.020	18.77	8.00
K-10-0293	No Significant Mineralization								
K-10-0296	No Assays; Hole Abandoned								
K-10-0301	386.18	392.56	6.38	206.4	6.0	0.048	0.001	0.88	0.22
includes	386.18	387.47	1.29	801.1	23.4	0.086	0.003	2.97	0.52
K-10-0307	249.40	257.48	8.08	689.1	20.1	0.066	0.002	1.75	2.49
includes	251.45	252.86	1.41	1615.4	47.1	0.114	0.003	6.39	7.76
includes	255.44	257.48	2.04	1404.9	41.0	0.131	0.004	1.87	2.98
includes	256.78	257.48	0.70	4004.3	116.8	0.355	0.010	5.34	6.10
K-10-0307	259.48	260.56	1.08	37.4	1.1	0.010	0.000	0.07	0.09
K-10-0307	277.03	277.48	0.45	516.0	15.1	0.030	0.001	0.42	0.08
K-10-0310	265.58	266.50	0.92	839.0	24.5	0.100	0.003	2.57	1.90
K-10-0310	269.48	270.10	0.62	85.1	2.5	0.010	0.000	0.76	0.03
K-10-0315	303.46	304.30	0.84	44.3	1.3	0.070	0.002	0.01	0.00
K-10-0315	314.00	321.64	7.64	680.6	19.9	0.068	0.002	1.76	1.06
includes	314.00	315.69	1.69	1657.6	48.4	0.167	0.005	3.23	1.69
includes	321.33	321.64	0.31	2780.0	81.1	0.040	0.001	10.3	8.62
K-10-0319	303.50	312.42	8.92	229.0	6.7	0.082	0.002	0.29	1.52
includes	303.50	304.19	0.69	612.0	17.9	0.040	0.001	0.93	0.73
includes	308.78	310.52	1.74	651.1	19.0	0.222	0.006	0.53	3.29
includes	312.00	312.42	0.42	756.6	22.1	0.074	0.002	0.54	8.21
K-10-0319	317.62	317.90	0.28	45.3	1.3	0.030	0.001	0.09	0.21

Composites were calculated using a 30 g/tonne Ag cutoff with a maximum 2 meters internal dilution