

2010 Flame & Moth DH Assay Composites - February 16, 2011									
Hole #	From meters	To meters	Length meters	Ag g/tonne	Ag oz/ton	Au g/tonne	Au oz/ton	Pb %	Zn %
K-10-0261	No Assays; Hole Abandoned								
K-10-0264	248.44	256.81	8.37	452.9	13.2	0.407	0.012	1.40	2.76
includes	250.35	254.99	4.64	693.3	20.2	0.390	0.011	2.17	3.75
includes	254.59	254.99	0.4	4170.0	121.6	0.910	0.027	4.28	7.90
K-10-0271	281.88	281.99	0.11	210.0	6.1	0.079	0.002	0.51	1.54
K-10-0271	319.03	325.20	6.17	207.7	6.1	0.205	0.006	0.22	3.45
includes	322.10	324.32	2.22	396.5	11.6	0.066	0.002	0.30	4.85
includes	323.60	324.32	0.72	722.0	21.1	0.130	0.004	0.82	1.99
K-10-0271	330.27	331.29	1.02	32.4	0.9	0.010	0.000	0.01	4.17
K-10-0275	292.76	297.40	4.64	50.3	1.5	0.030	0.001	0.27	0.70
K-10-0275	299.39	303.98	4.59	102.8	3.0	0.096	0.003	0.20	5.90
K-10-0285	169.61	172.88	3.27	37.9	1.1	0.031	0.001	0.57	2.34
K-10-0285	199.47	203.16	3.69	430.9	12.6	0.057	0.002	5.02	0.58
includes	199.47	200.60	1.13	1336.4	39.0	0.141	0.004	15.67	1.65
includes	199.47	199.71	0.24	5610.0	163.7	0.440	0.013	60.69	5.91
K-10-0285	210.87	211.91	1.07	404.0	11.8	0.250	0.007	0.54	1.24
K-10-0285	220.07	221.49	1.42	86.8	2.5	0.244	0.007	0.80	3.41
K-10-0285	278.80	279.04	0.24	278.0	8.1	0.050	0.001	3.45	4.18
K-10-0291	121.04	125.26	4.22	133.1	3.9	0.168	0.005	0.72	2.15
includes	121.04	122.95	1.91	269.0	7.8	0.364	0.011	1.29	4.14
K-10-0291	132.89	136.55	3.66	89.6	2.6	0.035	0.001	0.23	1.06
K-10-0291	139.93	141.05	1.12	42.0	1.2	0.060	0.002	0.15	0.27
K-10-0295	No Significant Mineralization								
K-10-0298	151.42	155.66	4.24	93.8	2.7	0.159	0.005	0.75	0.96
includes	151.42	151.94	0.52	476.0	13.9	0.060	0.002	1.88	3.15
K-10-0298	157.44	158.17	0.73	144.0	4.2	0.040	0.001	3.36	0.71
K-10-0298	177.88	179.75	1.87	36.3	1.1	0.090	0.003	0.32	0.64
K-10-0299	236.78	244.41	7.63	276.0	8.1	0.220	0.006	1.05	3.19
includes	237.66	240.13	2.47	541.9	15.8	0.201	0.006	2.41	6.10
includes	237.66	238.55	0.89	956.0	27.9	0.320	0.009	5.17	6.95
K-10-0299	246.61	248.41	1.80	237.5	6.9	0.148	0.004	0.46	3.75
K-10-0303	282.36	295.60	13.24	72.6	2.1	0.043	0.001	0.18	0.66
K-10-0303	298.91	303.66	4.75	95.7	2.8	0.143	0.004	0.21	0.84
K-10-0304	207.45	207.80	0.35	42.4	1.2	0.020	0.001	0.35	2.61
K-10-0305	315.91	329.20	13.29	167.3	4.9	0.203	0.006	0.21	0.69
includes	323.93	324.31	0.38	1250.0	36.5	0.330	0.010	1.56	0.76
includes	326.21	328.15	1.94	522.7	15.2	0.193	0.006	0.20	0.70
K-10-0312	363.98	365.98	2.00	51.6	1.5	0.010	0.001	0.01	0.04
K-10-0312	368.83	377.95	9.12	141.7	4.1	0.294	0.009	0.04	0.49
includes	373.78	374.40	0.62	503.0	14.7	1.020	0.030	0.04	0.01
K-10-0320	219.76	224.02	4.26	1711.5	49.9	1.500	0.044	7.97	9.76
includes	220.14	221.49	1.35	2126.7	62.0	1.156	0.034	11.55	10.05

Composites calculated using a 30 g/tonne Ag cutoff with a maximum 2 meters internal dilution